

# MASTER

## Preparation 700

### DESIGNED FOR GUARANTEED **HYGIENE**

Aisi 304 stainless steel is utilized for tables, for sinks and for every part that will be in direct touch with food. The splashback is integral with the top and has boxed-section back to prevent any dirt from entering.


The **work-top**, 54 mm thick, is in AISI 304 stainless steel, 12/10 mm thick with a fine satin finish. Strength and noise prevention are assured by a special frame and the use of a soundproofing work-top lining. The **wells**, in size and welded to the top by robots which also perform the weld finishing, are also made from AISI 304

stainless steel by cold-pressing, with a large recess. A special sound-deadening material is applied to the outside of the bottom of each well.




# MASTER CONFIGURATOR PREPARATION


## Worktop




1. AISI 304 stainless steel worktop, 12/10 mm thick
2. Sound-deadening, water-proof panel




...A/UA




...B/UB




## PREPARATION 700 Work Tables with bowl/scrap: fitting drawers and matching undershelf




120



140



04C123



04C111



...RFV




cm 40x50x25 h


\* D: bowl/scrap right • S: bowl/scrap left

	120	140	160	180	200 cm
1		14TAVD • 14TAVS			20TAVD • 20TAVS
3		14RFV			20RFV
2	12TAFD • 12TAFS	14TAFD • 14TAFS	16TAFD • 16TAFS	18TAFD • 18TAFS	20TAFD • 20TAFS
3	08RF	10RF	12RF	14RF	16RF


## PREPARATION 700 Sink Units pre-arranged for dishwasher



120




...RF



3

140




\* D: Dishwasher right • S: Dishwasher left

	120	140	160	200
1	12L14DL • 12L14SL	14L16DL • 14L16SL	16L24DL • 16L24SL	20L26DL • 20L26SL
2	06RF	08RF	10RF	14RF
3			LA1624DL • LA1624SL	LA2026DL • LA2026SL


# MASTER

## CONFIGURATOR PREPARATION

### PREPARATION 700 Sink Units




cm 40x50x25 h



cm 50x50x25 h




cm 60x50x32,5 h



cm 60x50x37,5 h



cm 80x54x32,5 h



cm 120x54x35 h








\* D: right drainer • S: left drainer







60	70	80	100	110	120	140	160	180	200	220	260 cm
1	07L15	08L16	10L24	11L18	12L14D/S 12L246	14L112 14L24D/S 14L16D/S 14L26	16L24D/S	18L24 18L26D/S	20L26D/S 20L28	22L26	
2		08RF	10RF		12RF	14RF	16RF	18RF	20RF	22RF	
3	LA0614	LA0715	LA0816	LA1024	LA1214D/S LA12246	LA1424D/S LA1416D/S LA1426	LA1624D/S	LA1824 LA1826D/S	LA2026D/S LA2028	LA2226	LA2626

# PREPARATION MASTER 700












## WORK TABLES

AISI 304 stainless steel top, 54 mm h. with satin finish, 12/10 mm thickness. Sound deadening, water-fireproof panel underneath. Work top suitable for loads of max 150 kg/m<sup>2</sup> guaranteed by 4 stainless steel support tubular feet, 50 mm Ø. ...B: two-sided worktop. ...A: worktop with rear splashback.

	MOD.	DESCRIPTION	 cm	 kW	 kW	
	06TA	TABLE WITH REAR SPLASHBACK 60 CM	60X70X90			
	07TA	TABLE WITH REAR SPLASHBACK 70 CM	70X70X90			
	08TA	TABLE WITH REAR SPLASHBACK 80 CM	80X70X90			
	10TA	TABLE WITH REAR SPLASHBACK 100 CM	100X70X90			
	12TA	TABLE WITH REAR SPLASHBACK 120 CM	120X70X90			
	14TA	TABLE WITH REAR SPLASHBACK 140 CM	140X70X90			
	16TA	TABLE WITH REAR SPLASHBACK 160 CM	160X70X90			
	18TA	TABLE WITH REAR SPLASHBACK 180 CM	180X70X90			
	20TA	TABLE WITH REAR SPLASHBACK 200 CM	200X70X90			
	22TA	TABLE WITH REAR SPLASHBACK 220 CM	220X70X90			
	24TA	TABLE WITH REAR SPLASHBACK 240 CM	240X70X90			
	26TA	TABLE WITH REAR SPLASHBACK 260 CM	260X70X90			
	28TA	TABLE WITH REAR SPLASHBACK 280 CM	280X70X90			
	30TA	TABLE WITH REAR SPLASHBACK 300 CM	300X70X90			
	06TB	TABLE WITH DOUBLE-SIDED SURFACE 60 CM	60X70X90			
	07TB	TABLE WITH DOUBLE-SIDED SURFACE 70 CM	70X70X90			
	08TB	TABLE WITH DOUBLE-SIDED SURFACE 80 CM	80X70X90			
	10TB	TABLE WITH DOUBLE-SIDED SURFACE 100 CM	100X70X90			
	12TB	TABLE WITH DOUBLE-SIDED SURFACE 120 CM	120X70X90			
	14TB	TABLE WITH DOUBLE-SIDED SURFACE 140 CM	140X70X90			

	MOD.	DESCRIPTION				
	<b>16TB</b>	TABLE WITH DOUBLE-SIDED SURFACE 160 CM	160X70X90			
	<b>18TB</b>	TABLE WITH DOUBLE-SIDED SURFACE 180 CM	180X70X90			
	<b>20TB</b>	TABLE WITH DOUBLE-SIDED SURFACE 200 CM	200X70X90			
	<b>22TB</b>	TABLE WITH DOUBLE-SIDED SURFACE 220 CM	220X70X90			
	<b>24TB</b>	TABLE WITH DOUBLE-SIDED SURFACE 240 CM	240X70X90			
	<b>26TB</b>	TABLE WITH DOUBLE-SIDED SURFACE 260 CM	260X70X90			
	<b>28TB</b>	TABLE WITH DOUBLE-SIDED SURFACE 280 CM	280X70X90			
	<b>30TB</b>	TABLE WITH DOUBLE-SIDED SURFACE 300 CM	300X70X90			







## ACCESSORIES

	MOD.	DESCRIPTION				
	<b>PAA</b>	CORNER CANTILEVER WORK TABLE, WITH REAR SPLASHBACK	98,6X98,6X14,5			
	<b>GPAA</b>	CORNER FOOT				
	<b>04C111</b>	DRAWER 1/1 GN - STACKABLE	40X70X21			
	<b>04C123</b>	DRAWER 13 LITER	38X58,5X12,1			
	<b>04C411</b>	4 DRAWERS	40X70X62			
	<b>KRP4GG</b>	SET OF 4 SWIVELLING WHEELS, 2 WITH BRAKE AND LEGS	20X20X80			
	<b>KRP6GG</b>	SET OF 6 SWIVELLING WHEELS, 2 WITH BRAKE AND LEGS	20X20X80			











# PREPARATION MASTER 700

## WORK TABLES WITH BOWL







Work table with AISI 304 stainless steel top with rear splash back 54 mm h with satin finish. Sounddeadening water-fireproof panel underneath. AISI 304 stainless steel tubular feet with satin finish, 50 mm Ø. AISI 304 stainless steel cold pressed bowl, 40x50x25 h cm....D: bowl on the right. ...S: bowl on the left

	MOD.	DESCRIPTION				
	14TAVD	TABLE WITH REAR SPLASHBACK RIGHT BOWL 140 CM	140X70X90			
	20TAVD	TABLE WITH REAR SPLASHBACK RIGHT BOWL 200 CM	200X70X90			
	14TAVS	TABLE WITH REAR SPLASHBACK LEFT BOWL 140 CM	140X70X90			
	20TAVS	TABLE WITH REAR SPLASHBACK LEFT BOWL 200 CM	200X70X90			

### ACCESSORIES

	MOD.	DESCRIPTION				
	CEMTV	HOT/COLD WATER MIXER TAP				
	CEGTV	HOT/COLD WATER MIXER TAP ELBOW OPERATED				
	EAP	FOOT CONTROL-LEVER TAP TO BE FIXED TO THE THE UNDERSHELF				
	KSV25P	WASTE TRAP OVERFLOW PIPE KIT FOR BOWLS H 25 CM				
	14RFV	UNDERSHELF FOR TABLE WITH BOWL 140 CM	124,2X58,2X5			
	20RFV	UNDERSHELF FOR TABLE WITH BOWL 200 CM	184,2X58,2X5			

ACCESSORIES

	MOD.	DESCRIPTION				
	PTVLD	SIDE PANEL (RIGHT) FOR TABLE WITH SINK	14,5X33,7X26			
	PTVLS	SIDE PANEL (LEFT) FOR TABLE WITH SINK	14,5X33,7X26			









# PREPARATION MASTER 700







## WORK TABLES WITH SCRAP

Work table with AISI 304 stainless steel top, 54 mm h, 12/10 thick, rear splash back, satin finish. Sound deadening water-fireproof underneath. Work top suitable for loads max 150 kg/m<sup>2</sup> guaranteed by 4 stainless steel tubular foot, 50 mm Ø. Scrap hole 24 cm Ø joined to the worktop with a

continuous weld. ...D: scrape hole on the right. ...S: scrape hole on the left.







	MOD.	DESCRIPTION	 cm	 kW	 kW	
	12TAFD	TABLE WITH REAR SPLASHBACK RIGHT SCRAP HOLE 120 CM	120X70X90			
	14TAFD	TABLE WITH REAR SPLASHBACK RIGHT SCRAP HOLE 140 CM	140X70X90			
	16TAFD	TABLE WITH REAR SPLASHBACK RIGHT SCRAP HOLE 160 CM	160X70X90			
	18TAFD	TABLE WITH REAR SPLASHBACK RIGHT SCRAP HOLE 180 CM	180X70X90			
	20TAFD	TABLE WITH REAR SPLASHBACK RIGHT SCRAP HOLE 200 CM	200X70X90			
	12TAFS	TABLE WITH REAR SPLASHBACK LEFT SCRAP HOLE 120 CM	120X70X90			
	14TAFS	TABLE WITH REAR SPLASHBACK LEFT SCRAP HOLE 140 CM	140X70X90			
	16TAFS	TABLE WITH REAR SPLASHBACK LEFT SCRAP HOLE 160 CM	160X70X90			
	18TAFS	TABLE WITH REAR SPLASHBACK LEFT SCRAP HOLE 180 CM	180X70X90			
	20TAFS	TABLE WITH REAR SPLASHBACK LEFT SCRAP HOLE 200 CM	200X70X90			

### ACCESSORIES

	MOD.	DESCRIPTION	 cm	 kW	 kW	
	08RF	UNDERSHELF 80 CM	64,2X58,2X5			
	10RF	UNDERSHELF 100 CM	84,2X58,2X5			
	12RF	UNDERSHELF 120 CM	104,2X58,2X5			
	14RF	UNDERSHELF 140 CM	124,2X58,2X5			
	16RF	UNDERSHELF 160 CM	144,2X58,2X5			
	PCR70	MOBILE REFUSE BIN WITH LID 75 LITERS	45X45X60,5			



ACCESSORIES

	MOD.	DESCRIPTION				
	PCR40	MOBILE REFUSE BIN WITH LID 50 LITERS	40X40X60,5			
	KRP4GG	SET OF 4 SWIVELLING WHEELS, 2 WITH BRAKE AND LEGS	20X20X80			


















# PREPARATION MASTER 700

## OPEN SINKS
















AISI 304 stainless steel pressed top with satin finish and rear splash back. Pressed bowl with a continuous weld bead to form a water light seal. Height-adjustable feet. Open cupboard with front cover panel and AISI 304 stainless steel tubular legs, 50 mm Ø.

	MOD.	DESCRIPTION				
	07L15	OPEN SINK 1 BOWL CM 50X50X25H	70X70X90			
	08L16	OPEN SINK 1 BOWL CM 60X50X32.5H	80X70X90			
	10L24	OPEN SINK 2 BOWLS CM 40X40X25H	100X70X90			
	11L18	OPEN SINK 1 BOWL CM 80X54X32.5H	110X70X90			
	12L14D	OPEN SINK 1 BOWL CM 40X50X25H RIGHT DRAINER	120X70X90			
	12L14S	OPEN SINK 1 BOWL CM 40X50X25H LEFT DRAINER	120X70X90			
	12L246	OPEN SINK 2 BOWLS CM 40X40X25H CM 60X50X32.5H	120X70X90			
	14L112	OPEN SINK 1 BOWL CM 120X54X35H	140X70X90			

	MOD.	DESCRIPTION				
	14L16D	OPEN SINK 1 BOWL CM 60X50X32.5H RIGHT DRAINER	140X70X90			
	14L16S	OPEN SINK 1 BOWL CM 60X50X32.5H LEFT DRAINER	140X70X90			
	14L24D	OPEN SINK 2 BOWLS CM 40X50X25H RIGHT DRAINER	140X70X90			
	14L24S	OPEN SINK 2 BOWLS CM 40X50X25H LEFT DRAINER	140X70X90			
	14L26	OPEN SINK 2 BOWLS CM 60X50X32.5H	140X70X90			
	16L24D	OPEN SINK 2 BOWLS CM 40X50X25H RIGHT DRAINER	160X70X90			
	16L24S	OPEN SINK 2 BOWLS CM 40X50X25H LEFT DRAINER	160X70X90			
	18L24	OPEN SINK 2 BOWLS CM 40X50X25H 2 DRAINERS	180X70X90			
	18L26D	OPEN SINK 2 BOWLS CM 60X50X32.5H RIGHT DRAINER	180X70X90			





	MOD.	DESCRIPTION				
	18L26S	OPEN SINK 2 BOWLS CM 60X50X32.5H LEFT DRAINER	180X70X90			
	20L26D	OPEN SINK 2 BOWLS CM 60X50X32.5H RIGHT DRAINER	200X70X90			
	20L26S	OPEN SINK 2 BOWLS CM 60X50X32.5H LEFT DRAINER	200X70X90			
	20L28	OPEN SINK 2 BOWLS CM 80X54X32.5H	200X70X50			
	22L26	OPEN SINK 2 BOWLS CM 60X50X32.5H 2 DRAINERS	220X70X90			
ACCESSORIES						
	MOD.	DESCRIPTION				
	PLLD	SIDE PANEL (RIGHT) FOR SINKS	58X32X1,5			
	PLLS	SIDE PANEL (LEFT) FOR SINKS	58X32X1,5			

# PREPARATION MASTER 700


## CABINET SINK UNITS







AISI 304 stainless steel cabinet with double-walled sliding doors and AISI 304 stainless steel sheet under shelf, reinforced by omega. Unit without back covering panel. 180 mm clearance between floor and shelf. LA0614, LA0715 and LA0816 with hinged doors.

	MOD.	DESCRIPTION	 cm	 kW	 kW	
	LA0614	SINK ON CABINET STRUCTURE 1 BOWL CM 40X50X25H	60X70X90			
	LA0715	CABINET SINK 1 BOWL CM 50X50X25H	70X70X90			
	LA0816	SINK ON CABINET STRUCTURE 1 BOWL CM 60X50X32H	80X70X90			
	LA1024	CABINET SINK 2 BOWLS CM 40X50X25H	100X70X90			
	LA1214D	CABINET SINK 1 BOWL CM 40X50X25H RIGHT DRAINER	120X70X90			
	LA1214S	CABINET SINK 1 BOWL CM 40X50X25H LEFT DRAINER	120X70X90			
	LA12246	CABINET SINK 2 BOWLS CM 40X50X25H CM 60X50X32.5H	120X70X90			
	LA1416D	CABINET SINK 1 BOWL CM 60X50X37.5H RIGHT DRAINER	140X70X90			





	MOD.	DESCRIPTION	 cm	 kW	 kW	
	LA1416S	CABINET SINK 1 BOWL CM 60X50X37.5H LEFT DRAINER	140X70X90			
	LA1424D	CABINET SINK 2 BOWLS CM 40X50X25H RIGHT DRAINER	140X70X90			
	LA1424S	CABINET SINK 2 BOWLS CM 40X50X25H LEFT DRAINER	140X70X90			
	LA1426	CABINET SINK 2 BOWLS CM 60X50X37.5H	140X70X90			
	LA1624D	CABINET SINK 2 BOWLS CM 40X50X25H RIGHT DRAINER	160X70X90			
	LA1624S	CABINET SINK 2 BOWLS CM 40X50X25H LEFT DRAINER	160X70X90			
	LA1824	CABINET SINK 2 BOWLS CM 40X50X25H 2 DRAINERS	180X70X90			
	LA1826D	CABINET SINK 2 BOWLS CM 60X50X32.5H RIGHT DRAINER	180X70X90			
	LA1826S	CABINET SINK 2 BOWLS CM 60X50X32.5H LEFT DRAINER	180X70X90			

	MOD.	DESCRIPTION	 cm	 kW	 kW	
	LA2026D	CABINET SINK 2 BOWLS CM 60X50X37.5H RIGHT DRAINER	200X70X90			
	LA2026S	CABINET SINK 2 BOWLS CM 60X50X37.5H LEFT DRAINER	200X70X90			
	LA2028	CABINET SINK 2 BOWLS CM 80X54X32.5H	200X70X90			
	LA2226	CABINET SINK 2 BOWLS CM 60X50X32.5H 2 DRAINERS	220X70X90			
	LA2626	CABINET SINK 2 BOWLS CM 60X50X37.5H 2 DRAINERS	260X70X90			






















# PREPARATION MASTER 700

## SINK UNITS PRE-ARRANGED FOR DISHWASHER

...L...: open cupboard with front cover panel and AISI 304 stainless steel tubular legs, 50 mm Ø. Pre-arranged for dishwasher. LA...: AISI 304 stainless steel cabinet with double walled sliding doors and under shelf. Pre-arranged for dishwasher.

	MOD.	DESCRIPTION	cm	kW	kW	
	12L14DL	OPEN SINK 1 BOWL CM 40X50X25H RIGHT DRAINER	120X70X90			
	12L14SL	OPEN SINK 1 BOWL CM 40X50X25H LEFT DRAINER	120X70X90			
	14L16DL	OPEN SINK 1 BOWL CM 60X50X32.5H RIGHT DRAINER	140X70X90			
	14L16SL	OPEN SINK 1 BOWL CM 60X50X32.5H LEFT DRAINER	140X70X90			
	16L24DL	OPEN SINK 2 BOWLS CM 40X50X25H RIGHT DRAINER	160X70X90			
	16L24SL	OPEN SINK 2 BOWLS CM 40X50X25H LEFT DRAINER	160X70X90			
	20L26DL	OPEN SINK 2 BOWLS CM 60X50X32.5H RIGHT DRAINER	200X70X90			
	20L26SL	OPEN SINK 2 BOWLS CM 60X50X32.5H LEFT DRAINER	200X70X90			








	MOD.	DESCRIPTION				
	LA1624DL	CABINET SINK 2 BOWLS CM 40X50X25H RIGHT DRAINER	160X70X90			
	LA1624SL	CABINET SINK 2 BOWLS CM 40X50X25H LEFT DRAINER	160X70X90			
	LA2026DL	CABINET SINK 2 BOWLS CM 60X50X37.5H RIGHT DRAINER	200X70X90			
	LA2026SL	CABINET SINK 2 BOWLS CM 60X50X37.5H LEFT DRAINER	200X70X90			
ACCESSORIES						
	MOD.	DESCRIPTION				
	PLLD	SIDE PANEL (RIGHT) FOR SINKS	58X32X1,5			
	PLLS	SIDE PANEL (LEFT) FOR SINKS	58X32X1,5			
	CEM	HOT/COLD WATER MIXER TAP				
	CEG	HOT/COLD WATER MIXER TAP ELBOW OPERATED				
	PULIPE	BENCH TYPE ELECTRIC POTS CLEANING MACHINE	18X29X24	0,18	230V 1N~ / 50HZ	
	EAP	FOOT CONTROL-LEVER TAP TO BE FIXED TO THE THE UNDERSHELF				
	KSV25P	WASTE TRAP OVERFLOW PIPE KIT FOR BOWLS H 25 CM				
	KSV325P	WASTE TRAP OVERFLOW PIPE KIT FOR BOWLS H 32,5 CM				



# PREPARATION MASTER 700

## UNDERSHELVES

### ACCESSORIES

	MOD.	DESCRIPTION	 cm	 kW	 kW	
	<b>06RF</b>	UNDERSHELF 60 CM	44,2X58,2X5			
	<b>08RF</b>	UNDERSHELF 80 CM	64,2X58,2X5			
	<b>10RF</b>	UNDERSHELF 100 CM	84,2X58,2X5			
	<b>12RF</b>	UNDERSHELF 120 CM	104,2X58,2X5			
	<b>14RF</b>	UNDERSHELF 140 CM	124,2X58,2X5			
	<b>16RF</b>	UNDERSHELF 160 CM	144,2X58,2X5			
	<b>18RF</b>	UNDERSHELF 180 CM	164,2X58,2X5			
	<b>20RF</b>	UNDERSHELF 200 CM	184,2X58,2X5			
	<b>22RF</b>	UNDERSHELF 220 CM	204,2X58,2X5			
	<b>24RF</b>	UNDERSHELF 240 CM	224,2X58,2X5			
	<b>26RF</b>	UNDERSHELF 260 CM	244,2X58,2X5			
	<b>28RF</b>	UNDERSHELF 280 CM	264,2X58,2X5			
	<b>30RF</b>	UNDERSHELF 300 CM	284,2X58,2X5			

# PREPARATION MASTER 700

## CUPBOARDS WITH SLIDING DOORS

AISI 304 stainless steel free-standing structure with satin finish. Sliding doors with double walled sandwich panel structure. Middle shelf reinforced by omega. Stainless steel height-adjustable feet. AISI 304 stainless steel top with satin finish, 54 mm h, 12/10 thickness. ...B: two-sided worktop. ...A: worktop

with rear splashback. ...1: single side opening. ...2: double side opening. ...E: ventilated heating with thermostatic control +30/+90°C.

	MOD.	DESCRIPTION				
	A10A1	CUPBOARD ONE SIDE SLIDING DOORS, REAR SPLASHBACK	100X70X90			
	A12A1	CUPBOARD ONE SIDE SLIDING DOORS, REAR SPLASHBACK	120X70X90			
	A14A1	CUPBOARD ONE SIDE SLIDING DOORS, REAR SPLASHBACK	140X70X90			
	A16A1	CUPBOARD ONE SIDE SLIDING DOORS, REAR SPLASHBACK	160X70X90			
	A18A1	CUPBOARD ONE SIDE SLIDING DOORS, REAR SPLASHBACK	180X70X90			
	A20A1	CUPBOARD ONE SIDE SLIDING DOORS, REAR SPLASHBACK	200X70X90			
	A22A1	CUPBOARD ONE SIDE SLIDING DOORS, REAR SPLASHBACK	220X70X90			
	A12A1E	ELECTRIC HOT CUPBOARD, WITH SLIDING DOORS	120X70X90	2	230V 1N~ / 50 ÷ 60HZ	
	A14A1E	ELECTRIC HOT CUPBOARD, WITH SLIDING DOORS	140X70X90	2	230V 1N~ / 50 ÷ 60HZ	
	A16A1E	ELECTRIC HOT CUPBOARD, WITH SLIDING DOORS	160X70X90	2	230V 1N~ / 50 ÷ 60HZ	
	A18A1E	ELECTRIC HOT CUPBOARD, WITH SLIDING DOORS	180X70X90	2	230V 1N~ / 50 ÷ 60HZ	
	A20A1E	ELECTRIC HOT CUPBOARD, WITH SLIDING DOORS	200X70X90	2	230V 1N~ / 50 ÷ 60HZ	
	A10B1	CUPBOARD ONE SIDE SLIDING DOORS, ONE SIDED WORKTOP	100X70X90			
	A12B1	CUPBOARD ONE SIDE SLIDING DOORS, ONE SIDED WORKTOP	120X70X90			
	A14B1	CUPBOARD ONE SIDE SLIDING DOORS, ONE SIDED WORKTOP	140X70X90			
	A16B1	CUPBOARD ONE SIDE SLIDING DOORS, ONE SIDED WORKTOP	160X70X90			
	A18B1	CUPBOARD ONE SIDE SLIDING DOORS, ONE SIDED WORKTOP	180X70X90			
	A20B1	CUPBOARD ONE SIDE SLIDING DOORS, ONE SIDED WORKTOP	200X70X90			
	A22B1	CUPBOARD ONE SIDE SLIDING DOORS, ONE SIDED WORKTOP	220X70X90			








	MOD.	DESCRIPTION				
	A12B1E	ELECTRIC HOT CUPBOARD, WITH SLIDING DOORS	120X70X90	2	230V 1N~ / 50 ÷ 60HZ	
	A14B1E	ELECTRIC HOT CUPBOARD, WITH SLIDING DOORS	140X70X90	2	230V 1N~ / 50 ÷ 60HZ	
	A16B1E	ELECTRIC HOT CUPBOARD, WITH SLIDING DOORS	160X70X90	2	230V 1N~ / 50 ÷ 60HZ	
	A18B1E	ELECTRIC HOT CUPBOARD, WITH SLIDING DOORS	180X70X90	2	230V 1N~ / 50 ÷ 60HZ	
	A20B1E	ELECTRIC HOT CUPBOARD, WITH SLIDING DOORS	200X70X90	2	230V 1N~ / 50 ÷ 60HZ	
	A10B2	CUPBOARD BOTH SIDE SLIDING DOORS, TWO SIDED WORKTOP	100X70X90			
	A12B2	CUPBOARD BOTH SIDE SLIDING DOORS, TWO SIDED WORKTOP	120X70X90			
	A14B2	CUPBOARD BOTH SIDE SLIDING DOORS, TWO SIDED WORKTOP	140X70X90			
	A16B2	CUPBOARD BOTH SIDE SLIDING DOORS, TWO SIDED WORKTOP	160X70X90			
	A18B2	CUPBOARD BOTH SIDE SLIDING DOORS, TWO SIDED WORKTOP	180X70X90			
	A20B2	CUPBOARD BOTH SIDE SLIDING DOORS, TWO SIDED WORKTOP	200X70X90			
	A22B2	CUPBOARD BOTH SIDE SLIDING DOORS, TWO SIDED WORKTOP	220X70X90			
	A12B2E	ELECTRIC HOT CUPBOARD, BOTH SIDE SLIDING DOORS	120X70X90	2,24	230V 1N~ / 50 ÷ 60HZ	
	A14B2E	ELECTRIC HOT CUPBOARD, BOTH SIDE SLIDING DOORS	140X70X90	2,24	230V 1N~ / 50 ÷ 60HZ	
	A16B2E	ELECTRIC HOT CUPBOARD, BOTH SIDE SLIDING DOORS	160X70X90	2,24	230V 1N~ / 50 ÷ 60HZ	
	A18B2E	ELECTRIC HOT CUPBOARD, BOTH SIDE SLIDING DOORS	180X70X90	2,28	230V 1N~ / 50 ÷ 60HZ	
	A20B2E	ELECTRIC HOT CUPBOARD, BOTH SIDE SLIDING DOORS	200X70X90	2,28	230V 1N~ / 50 ÷ 60HZ	

## ACCESSORIES

	MOD.	DESCRIPTION				
	14KIR	HEATING KIT FOR 140 CM ELEMENTS	134X15,5X36	0,6	230V 1N~ / 50HZ	
	16KIR	HEATING KIT FOR 160 CM ELEMENTS	154X15,5X36	0,6	230V 1N~ / 50HZ	
	18KIR	HEATING KIT FOR 180 CM ELEMENTS	174X15,5X36	0,9	230V 1N~ / 50HZ	
	20KIR	HEATING KIT FOR 200 CM ELEMENTS	194X15,5X36	0,9	230V 1N~ / 50HZ	

ACCESSORIES

	MOD.	DESCRIPTION				
	KRP90	SET OF 4 SWIVELLING WHEELS, 2 WITH BRAKE				













# PREPARATION MASTER 700

## STORAGE CABINETS WITH SLIDING DOORS

Free-standing structure with sides, back, doors, bottom and middle shelves made of AISI 304 stainless steel sheet with satin finish and cold-pressed. Sliding doors with double walled sandwich panel structure. Stainless steel height-adjustable feet. ...C: particularly useful for dishwasher baskets.

	MOD.	DESCRIPTION				
	12AP	STORAGE CABINET WITH SLIDING DOORS	120X70X170			
	14AP	STORAGE CABINET WITH SLIDING DOORS	140X70X170			
	16APC	STORAGE CABINET WITH SLIDING DOORS	160X70X170			
	20AP	STORAGE CABINET WITH SLIDING DOORS	200X70X170			

# PREPARATION MASTER 700

## CORNER CUPBOARDS, DRAWER UNITS AND HOPPERS

Structure with sides, back, doors, bottom and top made of AISI 304 stainless steel sheet with satin finish. Stainless steel height-adjustable feet. AA...: corner cupboard. AC...: drawers cupboard. AT...: hopper cupboard. ...B...: hinged doors. ...3: 2 drawers + higher drawer for bottles. ...4: 4 drawers. ...B:






two-sided worktop. ...A: worktop with rear splashback.

MOD.	DESCRIPTION	 cm	 kW	 kW	
	<b>AC04A4</b> DRAWER UNIT WITH 4 DRAWERS AND REAR SPLASHBACK	40X70X90			
	<b>AC04B4</b> DRAWER UNIT WITH 4 DRAWERS	40X70X90			
	<b>AABB</b> CORNER CUPBOARD WITH HINGED DOOR	98,5X98,5X90			
	<b>AABA</b> CORNER CUPBOARD WITH HINGED DOOR	98,5X98,5X90			
	<b>AT04A</b> HOPPER WITH TOP AND REAR SPLASHBACK	40X70X90			
	<b>AT04B</b> HOPPER TWO-SIDED WORKTOP	40X70X90			
	<b>AB04A</b> CUPBOARD WITH HINGED DOOR TOP WITH SPLASHBACK	40X70X90			
	<b>AB04B</b> CUPBOARD WITH HINGED DOOR	40X70X90			





ACCESSORIES

	MOD.	DESCRIPTION	 cm	 kW	 kW	
	KRP90	SET OF 4 SWIVELLING WHEELS, 2 WITH BRAKE				





# CONTINUOUS SURFACES

## CONTINUOUS WORK SURFACES

AISI 304 stainless steel top, 54 mm h. with satin finish. Sound deadening, water, fireproof panel underneath. Top 12/10 mm thickness suitable to be, completed with cupboard, cabinet with drawers or refrigerated tables. ...B: two-sided worktop. ...A: worktop with rear splashback.



MOD.

DESCRIPTION

120X70X5,4

12UB

CONTINUOUS DOUBLE-SIDED SURFACE 120 CM

140X70X5,4

14UB

CONTINUOUS DOUBLE-SIDED SURFACE 140 CM

160X70X5,4

16UB

CONTINUOUS DOUBLE-SIDED SURFACE 160 CM

180X70X5,4

18UB

CONTINUOUS DOUBLE-SIDED SURFACE 180 CM

200X70X5,4

20UB

CONTINUOUS DOUBLE-SIDED SURFACE 200 CM

220X70X5,4

22UB

CONTINUOUS DOUBLE-SIDED SURFACE 220 CM

240X70X5,4

24UB

CONTINUOUS DOUBLE-SIDED SURFACE 240 CM

260X70X5,4

26UB

CONTINUOUS DOUBLE-SIDED SURFACE 260 CM

280X70X5,4

28UB

CONTINUOUS DOUBLE-SIDED SURFACE 280 CM

300X70X5,4

30UB

CONTINUOUS DOUBLE-SIDED SURFACE 300 CM

320X70X5,4

32UB

CONTINUOUS DOUBLE-SIDED SURFACE 320 CM

310X70X5,4

34UB

CONTINUOUS DOUBLE-SIDED SURFACE 340 CM

360X70X5,4

36UB

CONTINUOUS DOUBLE-SIDED SURFACE 360 CM

380X70X5,4

38UB

CONTINUOUS DOUBLE-SIDED SURFACE 380 CM

120X70X14

12UA

CONTINUOUS SURFACE WITH REAR SPLASHBACK 120 CM

140X70X14

14UA

CONTINUOUS SURFACE WITH REAR SPLASHBACK 140 CM

160X70X14

16UA

CONTINUOUS SURFACE WITH REAR SPLASHBACK 160 CM

180X70X14

18UA

CONTINUOUS SURFACE WITH REAR SPLASHBACK 180 CM

200X70X14

20UA

CONTINUOUS SURFACE WITH REAR SPLASHBACK 200 CM














220X70X14

22UA







CONTINUOUS SURFACE WITH REAR SPLASHBACK 220 CM





	MOD.	DESCRIPTION				
	24UA	CONTINUOUS SURFACE WITH REAR SPLASHBACK 240 CM	240X70X14			
	26UA	CONTINUOUS SURFACE WITH REAR SPLASHBACK 260 CM	260X70X14			
	28UA	CONTINUOUS SURFACE WITH REAR SPLASHBACK 280 CM	280X70X14			
	30UA	CONTINUOUS SURFACE WITH REAR SPLASHBACK 300 CM	300X70X14			
	32UA	CONTINUOUS SURFACE WITH REAR SPLASHBACK 320 CM	320X70X14			
	34UA	CONTINUOUS SURFACE WITH REAR SPLASHBACK 340 CM	340X70X14			
	36UA	CONTINUOUS SURFACE WITH REAR SPLASHBACK 360 CM	360X70X14			
	38UA	CONTINUOUS SURFACE WITH REAR SPLASHBACK 380 CM	380X70X14			
ACCESSORIES						
	MOD.	DESCRIPTION				
	PUALTD	RIGHT LATERAL SPLASHBACK				
	PUALTS	LEFT LATERAL SPLASHBACK				
	PUV4050	BOWL TO WELD CM 40X50X25	50X25X40			
	PUV5050	BOWL TO WELD CM 50X50X25	50X25X50			
	PUVI4050	BOWL TO WELD CM 40X50X25 WITH BASIN	40X25X50			
	PUVI5050	BOWL TO WELD CM 50X50X25 WITH BASIN	50X25X50			
	PUINV13	BOWL CM 50X50X25 H WITH BASIN CM 136X66 CM TO WELD ON ONE PIECE TOP SYSTEM	50X25X50			
	PUSL05	CUPBOARD FOR BOWL WITHOUT WORK SURFACE, HINGED DOOR	50X70X81			
	PUSL06	CUPBOARD FOR BOWL WITHOUT WORK SURFACE, HINGED DOOR	60X70X81			
	PUSL07	CUPBOARD FOR BOWL WITHOUT WORK SURFACE, HINGED DOOR	70X70X81			

ACCESSORIES

	MOD.	DESCRIPTION				
	PUSL08	CUPBOARD FOR BOWL WITHOUT WORK SURFACE, HINGED DOOR	80X70X81			
	PUSL09	CUPBOARD FOR BOWL WITHOUT WORK SURFACE, HINGED DOOR	90X70X81			
	PUSL10	CUPBOARD FOR BOWL WITHOUT WORK SURFACE, HINGED DOOR	100X70X81			
	KIT2GAM	SUPPORT KIT TWO LEGS FOR CANTILEVERED SURFACE				



# CONTINUOUS SURFACES

## CUPBOARDS FOR CONTINUOUS WORK SURFACES

AISI 304 stainless steel free-standing structure with satin finish. Sliding doors with double walled sandwich panel structure. Middle shelf reinforced by omega. ...1: single side opening. ...2: double side opening. ...E: ventilated heating with thermostatic control +30/+90°C.



MOD.

DESCRIPTION

100X70X66

A10Z1

CUPBOARD ONE SIDE SLIDING DOORS, ONE SIDED WORKTOP



120X70X66

A12Z1

CUPBOARD ONE SIDE SLIDING DOORS, ONE SIDED WORKTOP

140X70X66

A14Z1

CUPBOARD ONE SIDE SLIDING DOORS, ONE SIDED WORKTOP

160X70X66

A16Z1

CUPBOARD ONE SIDE SLIDING DOORS, ONE SIDED WORKTOP

180X70X66

A18Z1

CUPBOARD ONE SIDE SLIDING DOORS, ONE SIDED WORKTOP

200X70X66

A20Z1

CUPBOARD ONE SIDE SLIDING DOORS, ONE SIDED WORKTOP

120X70X66

A12Z1E

ELECTRIC HOT CUPBOARD, WITH SLIDING DOORS

2

230V 1N~ / 50 ÷ 60HZ



140X70X66

A14Z1E

ELECTRIC HOT CUPBOARD, WITH SLIDING DOORS

2

230V 1N~ / 50 ÷ 60HZ

160X70X66

A16Z1E

ELECTRIC HOT CUPBOARD, WITH SLIDING DOORS

2

230V 1N~ / 50 ÷ 60HZ

180X70X66

A18Z1E

ELECTRIC HOT CUPBOARD, WITH SLIDING DOORS

2

230V 1N~ / 50 ÷ 60HZ

200X70X66

A20Z1E

ELECTRIC HOT CUPBOARD, WITH SLIDING DOORS

2

230V 1N~ / 50 ÷ 60HZ

100X70X66

A10Z2

CUPBOARD BOTH SIDE SLIDING DOORS, TWO SIDED WORKTOP



120X70X66

A12Z2

CUPBOARD BOTH SIDE SLIDING DOORS, TWO SIDED WORKTOP

140X70X66

A14Z2

CUPBOARD BOTH SIDE SLIDING DOORS, TWO SIDED WORKTOP

160X70X66

A16Z2

CUPBOARD BOTH SIDE SLIDING DOORS, TWO SIDED WORKTOP

180X70X66

A18Z2

CUPBOARD BOTH SIDE SLIDING DOORS, TWO SIDED WORKTOP

200X70X66

A20Z2

CUPBOARD BOTH SIDE SLIDING DOORS, TWO SIDED WORKTOP

120X70X66

A12Z2E

ELECTRIC HOT CUPBOARD, BOTH SIDE SLIDING DOORS

2

230V 1N~ / 50 ÷ 60HZ



140X70X66

A14Z2E

ELECTRIC HOT CUPBOARD, BOTH SIDE SLIDING DOORS

2

230V 1N~ / 50 ÷ 60HZ






160X70X66

A16Z2E

ELECTRIC HOT CUPBOARD, BOTH SIDE SLIDING DOORS

2

230V 1N~ / 50 ÷ 60HZ








	MOD.	DESCRIPTION				
	<b>A18Z2E</b>	ELECTRIC HOT CUPBOARD, BOTH SIDE SLIDING DOORS	180X70X66	2	230V 1N~ / 50 ÷ 60HZ	
	<b>A20Z2E</b>	ELECTRIC HOT CUPBOARD, BOTH SIDE SLIDING DOORS	200X70X66	2	230V 1N~ / 50 ÷ 60HZ	



# CONTINUOUS SURFACES

## DRAWER UNITS AND HOPPERS FOR CONTINUOUS WORK SURFACES










AISI 304 stainless steel free-standing structure with satin finish. ...3 : 2 drawers + drawer for bottles. ... 4: 4 drawers.

	MOD.	DESCRIPTION	 cm	 kW	 kW	
	AC04Z4	DRAWER UNIT WITH 4 DRAWERS	40X70X66			
	AT04Z	HOPPER FOR CONTINUOUS WORK SURFACE	40X70X66			
	AB04Z	CUPBOARD FOR CONTINUOUS WORK SURFACE, HINGED DOOR	40X70X66			

# ADD-ON MODULES

## WALL MOUNTED CABINETS

AISI 304 stainless steel free-standing structure. Height adjustable middle shelf. Top and bottom integrated with the back to ensure easy cleaning. Under shelf without runner guides. ...G: open version. ...C: with sliding doors. ...B: with hinged doors. ...SC: with sliding doors and plate drainer.

	MOD.	DESCRIPTION				
	12PG	OPEN WALL MOUNTED CABINET	120X40X66			
	10PG	OPEN WALL MOUNTED CABINET	100X40X66			
	14PG	OPEN WALL MOUNTED CABINET	140X40X66			
	16PG	OPEN WALL MOUNTED CABINET	160X40X66			
	10PC	WALL MOUNTED CABINET WITH SLIDING DOORS	100X40X66			
	12PC	WALL MOUNTED CABINET WITH SLIDING DOORS	120X40X66			
	14PC	WALL MOUNTED CABINET WITH SLIDING DOORS	140X40X66			
	16PC	WALL MOUNTED CABINET WITH SLIDING DOORS	160X40X66			
	18PC	WALL MOUNTED CABINET WITH SLIDING DOORS	180X40X66			
	20PC	WALL MOUNTED CABINET WITH SLIDING DOORS	200X40X66			
	14PSC	HANGING PLATE-DRAINER WALL CABINET-SLIDING DOORS	140X40X66			
	08PB	WALL MOUNTED CABINET WITH HINGED DOORS	80X40X66			
	12PB	WALL MOUNTED CABINET WITH HINGED DOORS	120X40X66			
	16PB	WALL MOUNTED CABINET WITH HINGED DOORS	160X40X66			
	APB	WALL MOUNTED CORNER CABINET WITH HINGED DOORS	98,5X98,5X66			






MOD.	DESCRIPTION				
------	-------------	---	--	--	--

cm

kW

kW



APG

OPEN WALL MOUNTED CORNER  
CABINET







98,5X98,5X66



# ADD-ON MODULES

## UNDERSHELVES AND WALL SHELVES

...SR: Shelving unit in 18-10 stainless steel composed by 4 uprights and 4 shelves reinforced by omega. Maximum load for each shelf (uniformly placed): 200 kg/m<sup>2</sup>. ARP...: Height adjustable wall shelf in AISI 304 stainless steel, with rear splashback.










	MOD.	DESCRIPTION				
	10SR	SHELVING UNIT CM 100	100X61,5X165			
	12SR	SHELVING UNIT CM 120	120X61,5X165			
	14SR	SHELVING UNIT CM 140	140X61,5X165			
	16SR	SHELVING UNIT CM 160	160X61,5X165			
	18SR	SHELVING UNIT CM 180	180X61,5X165			
	20SR	SHELVING UNIT CM 200	200X61,5X165			
	22SR	SHELVING UNIT CM 220	220X61,5X165			
	ARP804	STAINLESS STEEL AISI304 WALL SHELF, 100 CM	80X40X5			
	ARP1004	STAINLESS STEEL AISI304 WALL SHELF, 100 CM	100X40X5			
	ARP1204	STAINLESS STEEL AISI304 WALL SHELF, 120 CM	120X40X5			
	ARP1404	STAINLESS STEEL AISI304 WALL SHELF, 140 CM	140X40X5			
	ARP1604	STAINLESS STEEL AISI304 WALL SHELF, 160 CM	160X40X5			
	ARP1804	STAINLESS STEEL AISI304 WALL SHELF, 180 CM	180X40X5			

# ADD-ON MODULES







## PREPARATION WORK TABLES

AISI 304 stainless steel tables with satin finish. One sided radiused 54 mm h work top with rear splashback. ...TCN...: bowl with syphon, drain and overflow. ...TPC...: with liquid drain tray. Bowl dimension 6TCN: 107x31x18,5 cm. Bowl dimension 6TCN180: 163x31x18,5 cm....TPP...: complete

with two shaped trays with perforated removable bottom, Polyethylene cutting board. Bowl with syphon, drain and overflow. Inclined bottom surface.

	MOD.	DESCRIPTION				
	6TCN	VEGETABLE SORTING TABLE	120X70X90			
	6TCN180	VEGETABLE SORTING TABLE	180X70X90			
	6TPC120	MEAT PREPARATION WORK TABLE	120X70X90			
	6TPC180	MEAT PREPARATION WORK TABLE	180X70X90			
	6TPP180	FISH PREPARATION WORK TABLE	180X70X90			










### ACCESSORIES

	MOD.	DESCRIPTION				
	CEM	HOT/COLD WATER MIXER TAP				
	CEG	HOT/COLD WATER MIXER TAP ELBOW OPERATED				

# ADD-ON MODULES

## HAND WASH BASINS

AISI 304 stainless steel with satin finish.  
 ...G: mixer tap with knee level operation.  
 ...P: mixer tap with foot level operation.

	MOD.	DESCRIPTION				
	LMG	WALL MOUNTED HAND WASH BASIN, KNEE LEVEL OPERATED	50X50X33			
	LMP	HAND WASH BASIN, FREE STANDING, FOOT LEVEL OPERATED	50X50X85			
	LMSCG	WALL MOUNTED HAND WASH BASIN WITH STERILIZER	47X39X103	2,5	230V 1N~ / 50HZ	
	LMSCP	WALL MOUNTED HAND WASH BASIN WITH STERILIZER	62X51X105	2,5	230V 1N~ / 50HZ	
	SC	WALL MOUNTED KNIFE STERILIZER	47X30X65	2,5	230V 1N~ / 50HZ	











### ACCESSORIES

	MOD.	DESCRIPTION				
	BSTER	WALL MOUNTED ULTRAVIOLET KNIFE STERILIZER	60X10X70	0,03	230V 1N~ / 50HZ	
	DC	CLEANING TISSUE DISPENSER	30X10X29			
	DS	SOAP DISPENSER	13X10X19,5			
	PLM	WALL FITTING FOR HAND BASIN	50X10X50			



# ADD-ON MODULES

## MOBILE CONTAINER

	MOD.	DESCRIPTION	 cm	 kW	 kW	
	C121	TROLLEY WITH FRAME FOR 2 TRAYS 1/1GN	75X65X45			
	C311	TROLLEY WITH FRAME FOR 3 TRAYS 1/1GN	120X65X45			
	CC211	TROLLEY WITH TANK FOR 2 TRAYS 1/1GN	90X70X45			
	CC311	TROLLEY WITH TANK FOR 3 TRAYS 1/1GN	130X70X45			
	CRG2021	TROLLEY FOR 18 CONTAINERS GN 2/1	65X72X171			
	CEM21	TROLLEY WITH ADJUSTABLE HEIGHT FOR CONTAINERS	97X70X114			
	VCV	MOBILE VEGETABLE CONTAINER	88X66X100			
	CMX	SERVICE TROLLEY	100X60X80			

	MOD.	DESCRIPTION				
	CR2X	SERVICE TROLLEY, 2 SHELVES	100X50X95			
	CR3X	SERVICE TROLLEY, 3 SHELVES	100X50X95			
	CT3GN	FOOD SERVICE ELECTRIC HEATED TROLLEY 3X1/1GN	121X64X85	1,8	230V 1N~ / 50HZ	
	CTV20	TROLLEY FOR 20 TRAYS	95X61X156			
	CTV30	MOBILE TRAY RACK FOR 30 TRAYS	138X61X156			
ACCESSORIES						
	MOD.	DESCRIPTION				
	B11M20	CONTAINER GN 1/1 H = 200 WITH UNIVERSAL HANDLES	32X53X20			
	VRBX	BOTTLE REMOVAL CONTAINER, FOR MOD. CTV20/30	50X33X8			





# ADD-ON MODULES

## REFUSE BINS AND CHOPPINGS BOARDS

	MOD.	DESCRIPTION				
	PCR40	MOBILE REFUSE BIN WITH LID 50 LITERS	40X40X60,5			
	PCR70	MOBILE REFUSE BIN WITH LID 75 LITERS	45X45X60,5			
	PCR40P	MOBILE REFUSE BIN WITH LID AND PEDAL OPENING 50 LITERS	40X40X60,5			
	PCR70P	MOBILE REFUSE BIN WITH LID AND PEDAL OPENING 75 LITERS	45X45X60,5			
	C4545P	CHOPPING BLOCK	45X45X90			
	C5070P	CHOPPING BLOCK	50X70X90			