

KITCHEN MACHINES

Vacuum packer, slicing machine, peeler, table top meat mincers, vegetable slicer and cutters

Vacuum Packer: AISI 304 Stainless Steel structure. Transparent lid and bell in plastic food safe material. Digital control panel, 9 programs.

Slicing Machine: anodized aluminium-alloy body, stainless steel blade. A safety micro switch is installed on the blade guard complete with blade sharpener and safety micro switch. Belt drive.

Peelers: AISI 304 Stainless Steel structure. Polycarbonate foodsafe lid, transparent in order to see the product. Abrasive surface in carborundum

(extractible). Solenoid valve. Sealed control panel on the upper side. Equipped with plate for carrots and potatoes.

Table top meat mincers: with safety devices.

Vegetable slicer: anodized aluminium structure and base. Pressure lever and disc holder in AISI 304 stainless steel. 1-phase motor 1-speed. Equipped with stainless steel container, chute and expulsion palette.

Cutters: outside and bowl in AISI 304 stainless steel with satin finish. Transparent lid in non toxic pressed material. 1-phase motor. 1-speed. Equipped with smooth bladed hub, slice and honing stone.

Kneading machines / mixers: structure in painted steel. Ventilated asynchronous engine and electronic speed control. Mechanical transmission with auto-lubricant gears. Tools in stainless steel AISI 304. Removable protection in stainless steel.








KITCHEN MACHINES

VACUUM PACKERS

...I: Pre-set for inert food safe gas inlet.
Gas cylinder and pipe not included.

	MOD.	DESCRIPTION				
	MS06	VACUUM PACKER 6 CBM/HOUR	39,5X60X33	0,74		230V 1N~ / 50 ÷ 60HZ
	MS1	VACUUM PACKER 10 CBM/HOUR	39X53,5X46,5	0,9		230V 1N~ / 50 ÷ 60HZ
	MS1I	VACUUM PACKER 10 CBM/HOUR, INERT GAS PRE-SETTED	39X53,5X46	0,9		230V 1N~ / 50 ÷ 60HZ
	MS2	VACUUM PACKER 20 CBM/HOUR, SOFT-AIR DEVICE	53,9X65,5X50	1,15		230V 1N~ / 50 ÷ 60HZ
	MS2I	VACUUM PACKER 20 CBM/HOUR, INERT GAS PRE-SETTED	53,9X65,5X50	1,15		230V 1N~ / 50 ÷ 60HZ
	MS4	VACUUM PACKER 40 CBM/HOUR, SOFT-AIR DEVICE	77X72,5X103	1,5		400V 3N~ 50 ÷ 60 HZ
	MS4I	VACUUM PACKER 40 CBM/HOUR, INERT GAS PRE-SETTED	77X72,5X103	1,5		400V 3N~ 50 ÷ 60 HZ

ACCESSORIES

	MOD.	DESCRIPTION	 cm	 kW	 kW	
	CMS2	TROLLEY WITH WHEELS AND SHELF FOR MS2/MS21	53,9X53,9X53			



KITCHEN MACHINES

SLICING MACHINE

Standard: 3-phase functioning. ...M:
1-phase functioning.




MOD.	DESCRIPTION	 cm	 kW	 kW	
	AFC30S MEAT SLICING MACHINE WITH VERTICAL BLADE Ø 300 MM	66X54X44	0,24		400V 3~ / 50HZ
	AFC35 MEAT SLICING MACHINE WITH VERTICAL BLADE Ø 350 MM	78X66X53	0,3		400V 3~ / 50HZ
	AFTE275M SLICING MACHINE WITH SLOPING BLADE Ø 275 MM SINGLE PHASE COMPACT VERSION	51X56X43	0,23		230V 1N~ / 50HZ
	AFTE300 SLICING MACHINE WITH SLOPING BLADE Ø 300 MM COMPACT VERSION	51X56X43	0,23		400V 3~ / 50HZ
	AFT30S SLICING MACHINE WITH SLOPING BLADE Ø 300 MM	68X58X43	0,24		400V 3~ / 50HZ
	AFT33S SLICING MACHINE WITH SLOPING BLADE Ø 330 MM	72X58X45	0,28		400V 3~ / 50HZ
	AFT35 SLICING MACHINE WITH SLOPING BLADE Ø 350 MM	82X63X48	0,3		400V 3~ / 50HZ
	AFT30VS SLICING MACHINE WITH VERTICAL BLADE Ø 300 MM	68X52X49	0,24		400V 3~ / 50HZ
	AFT35VS SLICING MACHINE WITH VERTICAL BLADE Ø 350 MM	78X62X58	0,3		400V 3~ / 50HZ

KITCHEN MACHINES

PEELER










MOD.	DESCRIPTION	 cm	 kW	 kW	
PK5I	UNIVERSAL PEELER ON STAND LOAD 5 KG	41X61X80	0,27		400V 3N~ / 50HZ
PK10I	UNIVERSAL PEELER ON STAND LOAD 10 KG	45X69X95	0,75		400V 3N~ / 50HZ
PK20I	UNIVERSAL PEELER ON STAND LOAD 20 KG	51X74X108	1,15		400V 3N~ / 50HZ
PK30I	UNIVERSAL PEELER ON STAND LOAD 30 KG	51X73X114	1,15		400V 3N~ / 50HZ

KITCHEN MACHINES

TABLE TOP MEAT MINCERS

TG...: Base and grater body in polished aluminium casting. Anodised aluminium roller with safety micro switch. TG12: Tinned meat grinder assembly. TG12XE: Removable stainless steel meat grinder assembly. TC22S: Aluminium casting covered structure with AISI 304 stainless steel polished sheeting. AISI

304 stainless steel self sharpening grind knife. Food-safe PVC pusher. AISI 304 round grinder hopper.









	MOD.	DESCRIPTION	 cm	 kW	 kW	
	TG12	TABLE TOP MEAT MINCER AND GRATER, OPENING 12	67X24X43	0,75		400V 3~ / 50HZ
	TG12XE	TABLE TOP MEAT MINCER AND GRATER, OPENING 12	67X24X43	0,75		400V 3~ / 50HZ
	TC22S	TABLE MEAT MINCER AND GRATER, OPENING 22	27X37X44	1,1		400V 3~ / 50HZ

KITCHEN MACHINES








VEGETABLE SLICER

	MOD.	DESCRIPTION				
	STV	VEGETABLE SLICER	28X51X46	0,515	230V 1N~ / 50HZ	

ACCESSORIES

	MOD.	DESCRIPTION				
	KT5	KIT OF 5 DISKS FOR VEGETABLE SLICER STV				
	DFE1	DISK FOR SLICES 1 MM				
	DFE2	DISK FOR SLICES 2 MM				
	DFE3	DISK FOR SLICES 3 MM				
	DFE4	DISK FOR SLICES 4 MM				
	DFE5	DISK FOR SLICES 5 MM				
	DFE8	DISK FOR SLICES 8 MM				
	DFE10	DISK FOR SLICES 10 MM				
	DFE14	DISK FOR SLICES 14 MM				
	DG	GRATER DISK				
	DB44	SHREDDING DISK 4X4 MM				

ACCESSORIES





	MOD.	DESCRIPTION				
	DB66	SHREDDING DISK 6X6 MM				
	DB88	SHREDDING DISK 8X8 MM				
	DB1010	SHREDDING DISK 10X10 MM				
	DSF2	DISK FOR JULIENNE 2 MM				
	DSF3	DISK FOR JULIENNE 3 MM				
	DSF4	DISK FOR JULIENNE 4 MM				
	DSF7	DISK FOR JULIENNE 7 MM				
	DSF9	DISK FOR JULIENNE 9 MM				
	GC88	GRID FOR CUBES 8X8 MM				
	GC1010	GRID FOR CUBES 10X10 MM				
	GC1414	GRID FOR CUBES 14X14 MM				
	GC2020	GRID FOR CUBES 20X20 MM				

KITCHEN MACHINES








CUTTERS

VV: Speed variator (1100-2600 RPM).



MOD.	DESCRIPTION				
SC4	TABLE CUTTER BOWL CAPACITY 4 L	38X32X27		0,35	230V 1N~ / 50HZ
SC6	TABLE CUTTER BOWL CAPACITY 6 L	38X32X32		0,35	230V 1N~ / 50HZ
SC9VV	TABLE CUTTER BOWL CAPACITY 9 L	47X33X40		0,7	230V 1N~ / 50HZ

ACCESSORIES

MOD.	DESCRIPTION				
 MSLD4	EXTRA HUB, SERRATED BLADES FOR TABLE CUTTER 4 L				
MSLD6	EXTRA HUB, SERRATED BLADES FOR TABLE CUTTER 6 L				
MSLD9	EXTRA HUB, SERRATED BLADES FOR TABLE CUTTER 9 L				
MSLF4	EXTRA HUB, PERFORATED BLADES FOR TABLE CUTTER 4 L				
MSLF6	EXTRA HUB, PERFORATED BLADES FOR TABLE CUTTER 6 L				
MSLF9	EXTRA HUB, PERFORATED BLADES FOR TABLE CUTTER 9 L				
 MSP4	EXTRA HUB, FOR PESTO SAUCE FOR TABLE CUTTER 4 L				
MSP6	EXTRA HUB, FOR PESTO SAUCE FOR TABLE CUTTER 6 L				
MSP9	EXTRA HUB, FOR PESTO SAUCE FOR TABLE CUTTER 9 L				
 MSLO4	EXTRA HUB, WAVE-LIKED BLADES FOR TABLE CUTTER 4 L				
MSLO6	EXTRA HUB, WAVE-LIKED BLADES FOR TABLE CUTTER 6 L				






ACCESSORIES

	MOD.	DESCRIPTION				
	MSLO9	EXTRA HUB, WAVE-LIKED BLADES FOR TABLE CUTTER 9 L				

KITCHEN MACHINES

KNEADING MACHINES MIXERS

Capacity in Kg for mixture of flour with
50% water: IMP5: min/max 0,2/1,1
IMP8: min/max 0,4/1,8

	MOD.	DESCRIPTION	 cm	 kW	 kW	
	IMP5	KNEADING MACHINE / MIXER CAPACITY 5 L	38X50X60	0,37		230V 1N~ / 240V 1N~ / 50÷60 HZ
	IMP8	KNEADING MACHINE / MIXER CAPACITY 8 L	38X43X60	0,55		230V 1N~ / 50HZ





SC Johnson - Italy